For switch series 12000 - 3500 - 600H - 6000


With standard bushing

Security caps prevent any inadvertent lever operation. When the cap is raised, the lever can be operated freely. When the cap is fully depressed, the lever is reset/locked in a stable position. They are designed for use on switches with Ø 11,9 (.468) or Ø 12 (.472) threaded bushing and lever length 17,5 (.688) outside bushing.

Note: For correct switch operation, the security cap should be adjusted properly by means of 2 nuts.

MATERIALS

- Support plate : matt black steel
- Cap: thermoset or thermoplastic (20PN, 200PN, 300PN)




Series 20 - for 2-position switches

• Lever returned then locked in down position (OFF)



Model No	Colour
23 24 25 26 27 28 29	Grey White Orange Black Red Green Yellow Blue Black/yellow striped




Series 20PN - for 2-position switches

• Lever returned then locked in down position (OFF)



Model No	Colour
22PN	Grey
23PN	White
24PN	Orange
25PN	Black
26PN	Red
27PN	Green
28PN	Yellow
29PN	Blue

On this model, holes for wiring a seal are standard.




Series 30 - for 3-position switches

• Lever returned then locked in upper position



Model No	Colour
32	Grey
33	White
34	Orange
35	Black
36	Red
37	Green
38	Yellow
39	Blue
35/38	Black/yellow striped



For switch series 12000 - 3500 - 600H - 6000


With standard bushing

Series 40 - for 2-position switches

• Lever returned then locked in upper position



Model No	Colour
42	Grey
43	White
44	Orange
45	Black
46	Red
47	Green
48	Yellow
49	Blue
45/48	Black/yellow stri
	1 1 1 10000




Model 140 (with smaller aperture) recommended for the 12000 series.

Series 80 - for 3-position switches

• Lever returned then locked in center position



Model No	Colour
82 83 84 85 86 87 88	Grey White Orang Black Red Green Yellow Blue




Series 200 - for 2-position switches

• Lever returned then locked either in lower or in upper position



Model No	Colour
202 203 204 205 206 207 208 209	Grey White Orange Black Red Green Yellow Blue




Series 200PN - for 2 or 3-position switches - action preventer

• Lever not locked, but protected in the position where left by the user



Model No	Colour
202PN 203PN 204PN 205PN 206PN 207PN 208PN 209PN	Grey White Orange Black Red Green Yellow Blue



For switch series 12000 - 3500 - 600H - 6000


With flatted bushing

Series 50 - for 2-position switches

• Lever returned then locked in down position (OFF)



Model No	Colour
52 53 54 55 56 57 58 59 55/58	Grey White Orange Black Red Green Yellow Blue Black/yellow striped




Series 60 - for 3-position switches

• Lever returned then locked in upper position



	lour
65 Bla 66 Rec 67 Gr 68 Yel 69 Blu	nite ange ck d een low




Series 70 - for 2-position switches

• Lever returned then locked in upper position



Model No	Colour
72	Grey
73	White
74	Orange
75	Black
76	Red
77	Green
78	Yellow
79	Blue
75/78	Black/yellow striped

Model 170 (with smaller aperture) recommended for the 12000 series.




Series 100 - for 3-position switches

• Lever returned then locked in center position



Model No	Colour
102 103 104 105 106 107 108 109	Grey White Orange Black Red Green Yellow Blue



For switch series 12000 - 3500 - 600H - 6000


With flatted bushing

Series 300PN - for 2 or 3-position switches

• Lever not locked, but protected in the position where left by the user.



Model No	Colour
302PN 303PN 304PN 305PN 306PN 307PN 308PN 309PN	Grey White Orange Black Red Green Yellow Blue




Series 500 - for 2-position switches

• Lever returned then locked either in lower or in upper position



Model No	Colour
502 503 504 505 506 507 508 509	Grey White Orang Black Red Green Yellow Blue




OPTIONS




P Holes for wiring a seal

Cap engraving available: consult factory.



For switch series 3500 - 600H - 6000

With standard or flatted bushing





To build a part number, select desired option from each category here below.


BUSHING SHAPES




For standard products













For other products










SECURITY CAP SHAPE






Locks in center position




Prevents down position



Prevents up position




Locks in down position



Locks in up position


For switch series 3500 - 600H - 6000 (continued) - For pushbutton series 13000


SECURITY CAP COLOURS



9 Orange 0 Striped (see below)

COLOUR OF STRIPES





Series 90AX2328 for pushbutton series 13000 with Ø 11,9 (15/32) bushing

• Spring-loaded cover returning automatically in lower position. The user has to keep the cover raised while actuating the switch.



Model No Colour

90AX2328-27 Black with white stripe 90AX2328-67 Red with white stripe

